

SCX-4200

Printing	Print Speed 1	Up to 19 ppm
	First Page Out 1	Less than 11 seconds (from Stand by mode)
	Print Resolution	600 x 600 dpi
	Memory	8MB
	Monthly Duty Cycle	Up to 10,000 page
	Print Language	SPL-C (host-based printing)
Copy	Speed 1	Up to 19 ppm
	Resolution (Optical)	600 x 600 dpi Text, Text/Photo mode: 600 x 300 dpi, Photo mode: 600 x 600 dpi
	Resolution (Enhanced)	600 x 600 dpi
	First Copy Out Time	11 seconds (from Stand by mode)
	Zoom Rate	50 to 200 %
	Multy Copy	1 to 99 pages
	Duplex Copy	N/A
Scan	Compatibility	Twain standard, WIA standard
	Method	Color CIS
	Resolution (Optical)	600 x 2400 dpi
	Resolution (Enhanced)	Max.4,800 x 4,800 dpi
	Effective Scan Length	11.7"
	Effective Scan Width	8.2"
	Color Bit depth	Internal: 24 bit, External: 24 bit
	B/W Bit depth	1 bit for Text mode, 8 bit for Gray mode

Scan	Compatibility	Twain standard, WIA standard
	Method	Color CIS
	Resolution (Optical)	600 x 2400 dpi
	Resolution (Enhanced)	Max.4,800 x 4,800 dpi
	Effective Scan Length	11.7 inches
	Effective Scan Width	8.2 inches
	Color Bit depth	Internal: 24 bit, External: 24 bit
	B/W Bit depth	1 bit for Text mode, 8 bit for Gray mode

Paper Handling Input Capacity, Standard 250-sheet Cassette Tray Input Capacity, Optional N/A Output Capacity (Face Down) 50 sheets Media Sizes 3" X 5" to 8.5" x 14" **Operating Systems** Microsoft Windows 2

98, Me, 2000, XP

Apple Mac OS 2 OS 10.3 - 10.4 Linux 2 Red Hat 8.0 - 9.0, Fedora Core 1 - 3, Mandrake 9.2 - 10.1, SuSE 8.2 - 9.2 **General**
 Acoustics 3 Less than 45 dBA (printing), less than 38 dBA (standby) Power Consumption Less than 350 watts (printing), less than 70 watts (standby), less than 10 watts (sleep mode) Interface USB 2.0 Dimensions (W x D x H) 16.1" x 14.3" x 9.1" Weight 20.5 lbs. pages

© 2006 Samsung Electronics America, Inc. Samsung is a registered mark of Samsung Electronics Corp., Ltd. All relevant specifications based on letter-size paper with 5% coverage. 1 Print speeds (pages per minute) may vary due to various factors including the operating system used, computer performance, application software, connection method, media type, media size and job complexity. 2 Please visit www.samsungprinter.com to download the latest software version. 3 Samsung operating acoustics measured by sound pressure level according to ISO 7779 standards. 4 Toner yield figures are based on ISO 19752 5% coverage and may be affected by operating environment, printing interval, media type and media size. All specifications are subject to change without notice and provided "as is" with no warranty. Samsung shall not be liable for any direct, indirect, special, incidental, or consequential damages in connection with the use of this material. Non-metric weights and measurements are approximate. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective manufacturers and companies.